

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	67	("I picture" or "intraframe encoded message") with judg\$7 and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:12
L6	6	("I picture" or "intraframe encoded message") with judg\$7 with (scrambl\$4 or encod\$4 or encrypt\$4) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:57
L9	4	(unscrambled or unencrypted) same ("I picture" or "intraframe encoded message") and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:07
L11	9	("I picture" or "intraframe encoded message") same "TS packet" and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 18:15
S1	2	((("5,420,866") or ("6,148,082")). PN.	US-PGPUB; USPAT	OR	OFF	2005/02/11 09:35
S4	2	ep-903886-\$.did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:08
S5	306	380/210 and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:36
S6	3	380/200-210 and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:36
S7	131	380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:35

S8	93	380/200.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:36
S9	796	380/200-210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:37
S11	65	380/287.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:38
S12	536	380/287-53.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:38
S13	14	380/53.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 09:38
S14	15	("transport stream") and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 10:25
S15	3	("I picture") and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/16 17:54
S17	42034	(reception and broadcast) 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 10:44

S18	8	(reception with broadcast) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:28
S22	75	(reception with broadcast) same ((predetermined or preset) with (portion or unit)) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:32
S23	52	(reception with broadcast) with ((predetermined or preset) with (portion or unit)) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:33
S24	10	(reception with broadcast) with ((predetermined or preset) near3 (portion or unit)) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:33
S29	8	((receipt\$4 or recive\$4) with (scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4)) same ((predetermined or preset) near3 unit) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 11:42
S30	478	((receipt\$4 or recive\$4) with (scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) adj2 (content or data)) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:05
S32	1	((receipt\$4 or recive\$4) with (scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) adj2 (content or data)) and ((predetrmined or preset) near3 unit) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:06
S36	132	(scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) adj2 (content or data) same stor\$4 same extraction and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:09

S37	20	(scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) adj2 (content or data) same stor\$4 same extraction same (predetermined or preset) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:12
S39	5	(scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) adj2 (content or data) and (stor\$4 same extraction) same (predetermined or preset) and "380"/\$.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:18
S40	6	(scrambl\$4 or encrypt\$4 or encod\$4 or encipher\$4) near3 (content or data) and (stor\$4 same extraction) same (predetermined or preset) and "380"/\$.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:20
S41	49	("conditional access" or ca) and "380"/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 12:20
S43	1	("conditional access" or ca) same (preset or predetermined) and "380"/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:23
S44	19	("conditional access" or ca) and (preset or predetermined) and "380"/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/11 13:23
S45	67	((predetermined or preset or portion or unit) with (scrambled or encrypted or encoded)) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:04
S46	54	((predetermined or preset or portion or unit) with (scrambled or encoded)) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:05

S47	42	((predetermined or preset or portion or unit) with (scrambled )) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 11:16
S48	27	((predetermined or preset or portion) with (scrambled )) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:23
S51	1	(sequential with receiv\$4 same (("transport stream" or ts) with packet)) and "380"/\$.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:14
S52	11	(sequential with receiv\$4 same (("transport stream" or ts) with packet)) and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:01
S53	2	((ecm or "entitlement control message") with (scrambled ) with stor\$4) and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 15:23
S54	1	(sequential with receiv\$4 same (("transport stream" or ts) with packet)) same counter and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:02
S55	199	"continuity counter" and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:02
S56	1	"continuity counter" and 380/210.ccls. and @ad<"20001201"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/15 17:16
S57	1	("6363488").PN.	US-PGPUB; USPAT	OR	OFF	2005/02/15 17:16